

[illegible]

[illegible]

[illegible]

[illegible]

Σάββατο, 18 Ιούλιος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		18,89	17,60	16,63	16,04	15,86	15,76	15,98	17,55	19,97	21,89	23,51	23,88	25,57	25,95	25,78	24,97	24,07	23,81	23,84	23,75	23,83	24,52	23,21	19,44	512,34
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	0	0	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
18 ΦΟΡΗΤΑ Η/Ζ	18	0	0	0	0	0	0	0	0	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	3	Διαθέσιμη

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Τρίτη, 4 Αύγουστος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		27,81	24,94	23,43	22,57	21,78	22,55	22,96	23,65	26,34	28,69	30,85	32,20	33,48	34,10	33,74	32,90	32,25	31,99	31,84	31,54	31,80	32,29	31,29	30,73	695,72
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	1	1	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
18 ΦΟΡΗΤΑ Η/Ζ	18	0	0	0	0	0	0	0	0	5	5	5	7	8	9	9	7	6	6	6	6	6	6	5	5	Διαθέσιμη

Τετάρτη, 5 Αύγουστος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		27,28	25,22	23,81	22,98	22,42	22,03	21,94	24,63	28,36	30,73	33,32	33,20	31,79	35,02	35,07	35,01	33,91	32,72	32,87	32,44	32,65	32,67	30,56	29,87	710,53
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
18 ΦΟΡΗΤΑ Η/Ζ	18	0	0	0	0	0	0	0	0	5	5	7	7	8	9	9	9	9	6	6	6	6	6	5	5	Διαθέσιμη

Πέμπτη, 6 Αύγουστος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		25,23	23,42	22,01	21,36	20,71	20,51	20,59	23,21	25,51	27,79	29,45	31,13	31,92	32,82	32,82	32,09	31,99	31,69	31,89	31,89	32,43	32,69	31,04	30,33	674,53
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
18 ΦΟΡΗΤΑ Η/Ζ	18	0	0	0	0	0	0	0	0	5	5	5	5	6	6	6	5	5	5	5	5	6	6	5	5	Διαθέσιμη

Παρασκευή, 7 Αύγουστος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		26,05	23,90	22,49	21,75	21,30	21,03	21,22	25,09	27,17	29,92	31,97	33,11	33,54	34,95	34,66	34,42	33,13	33,76	33,10	31,94	33,37	33,67	31,80	30,38	703,72
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
18 ΦΟΡΗΤΑ Η/Ζ	18	0	0	0	0	0	0	0	0	5	5	7	7	7	8	8	8	6	7	7	5	6	6	5	5	Διαθέσιμη

Σάββατο, 8 Αύγουστος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		25,85	23,91	22,42	21,64	20,97	20,94	21,49	22,61	26,36	28,74	30,82	32,63	33,86	34,43	34,97	34,81	34,07	33,56	33,72	33,37	34,07	34,28	33,09	32,06	704,65
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
18 ΦΟΡΗΤΑ Η/Ζ	18	0	0	0	0	0	0	0	0	5	5	5	6	7	8	8	8	7	7	7	7	7	7	6	5	Διαθέσιμη

Κυριακή, 9 Αύγουστος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		27,51	24,67	23,22	22,35	21,58	22,36	23,44	23,07	26,10	28,36	30,54	31,90	33,70	34,15	34,21	33,56	32,81	32,39	32,46	32,17	32,65	33,36	32,10	31,85	700,50
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
18 ΦΟΡΗΤΑ Η/Ζ	18	0	0	0	0	0	0	0	0	5	5	5	5	6	7	7	6	5	5	5	5	5	6	5	5	Διαθέσιμη

Δευτέρα, 10 Αύγουστος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		25,47	23,64	22,26	21,59	20,93	20,77	21,52	23,09	25,79	28,03	29,74	31,46	32,79	33,54	33,95	33,39	32,87	32,40	32,81	32,82	33,58	34,06	32,16	31,76	690,44
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
18 ΦΟΡΗΤΑ Η/Ζ	18	0	0	0	0	0	0	0	0	5	5	5	5	5	6	7	6	5	5	5	5	6	7	5	5	Διαθέσιμη

Τρίτη, 11 Αύγουστος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		26,50	24,65	23,04	22,19	21,52	21,30	21,97	23,17	27,12	29,71	31,33	32,90	34,27	34,67	35,29	34,77	33,65	33,56	33,44	33,38	33,69	34,47	32,99	32,04	711,63
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G6 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
18 ΦΟΡΗΤΑ Η/Ζ	18	2	0	0	0	0	0	0	0	5	6	8	10	12	12	13	12	11	11	11	11	11	12	10	9	Διαθέσιμη

Τετάρτη, 12 Αύγουστος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		26,77	25,14	23,29	22,30	21,75	21,58	21,83	23,57	27,76	30,02	31,45	33,38	33,86	34,64	34,96	34,41	33,25	33,36	33,04	33,02	33,27	33,88	32,22	30,27	709,02
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G6 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
18 ΦΟΡΗΤΑ Η/Ζ	18	3	2	0	0	0	0	0	0	5	7	9	11	12	13	13	12	11	11	11	11	11	12	10	9	Διαθέσιμη

Πέμπτη, 13 Αύγουστος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		26,39	24,45	22,74	21,80	21,37	21,25	21,66	22,92	25,25	28,73	31,05	32,42	33,20	34,62	34,78	34,06	33,28	33,00	33,17	33,18	33,54	33,63	31,68	29,66	697.83
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G6 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
18 ΦΟΡΗΤΑ Η/Ζ	18	2	0	0	0	0	0	0	0	5	5	7	9	10	12	12	12	10	10	10	10	11	10	9	6	Διαθέσιμη

Παρασκευή, 14 Αύγουστος 2020		Προτεινόμενος ΗΕΠ Θήρας																									
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)	
Εκτίμηση ζήτησης (MWh)		26,53	24,29	22,73	21,88	21,47	21,13	21,38	23,05	25,19	28,71	30,79	32,93	33,49	34,77	34,79	34,15	33,44	33,28	33,62	33,55	34,09	33,87	32,05	29,89	701,05	
Μονάδα	Αποδιδόμενη Ισχύς (MW)																										
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G4 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G6 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη	
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη	
18 ΦΟΡΗΤΑ Η/Ζ	18	2	0	0	0	0	0	0	0	5	5	5	6	7	8	8	7	7	6	7	7	8	7	5	5	Διαθέσιμη	

Σάββατο, 15 Αύγουστος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		26,82	24,83	23,12	22,21	21,60	21,29	21,00	22,84	27,67	29,48	30,47	31,11	33,37	35,26	35,22	34,66	33,31	33,77	34,24	34,10	34,54	34,67	32,53	32,56	710,65
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
18 ΦΟΡΗΤΑ Η/Ζ	18	0	0	0	0	0	0	0	0	5	5	5	5	7	9	9	8	7	7	8	8	8	8	6	6	Διαθέσιμη

Κυριακή, 16 Αύγουστος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		26,71	24,86	23,14	22,13	21,53	21,30	21,53	23,27	27,05	28,95	29,79	31,07	33,07	34,06	34,07	33,70	32,70	32,81	33,21	33,31	33,74	34,13	32,45	31,58	700,17
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
18 ΦΟΡΗΤΑ Η/Ζ	18	0	0	0	0	0	0	0	0	5	5	5	5	6	7	7	7	6	6	6	7	7	8	5	5	Διαθέσιμη

Δευτέρα, 17 Αύγουστος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		26,70	24,83	22,99	22,07	21,58	21,43	21,77	23,19	27,73	29,36	30,19	31,79	33,87	35,34	35,26	34,69	33,99	33,82	33,91	33,86	34,33	34,49	32,35	31,17	710,73
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
18 ΦΟΡΗΤΑ Η/Ζ	18	0	0	0	0	0	0	0	0	5	5	5	5	7	9	9	8	7	7	7	7	8	8	5	5	Διαθέσιμη

Πέμπτη, 20 Αύγουστος 2020		Προτεινόμενος ΗΕΠ Θήρας																									
Ωρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)	
Εκτίμηση ζήτησης (MWh)		23,79	22,52	21,15	20,03	19,55	19,47	19,56	21,75	25,65	27,96	29,76	31,11	32,49	32,38	32,40	32,18	31,59	31,25	31,20	31,12	31,21	31,57	30,01	28,83	658,53	
Μονάδα	Αποδιδόμενη Ισχύς (MW)																										
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G4 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G6 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη	
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη	
18 ΦΟΡΗΤΑ Η/Ζ	18	0	0	0	0	0	0	0	0	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	Διαθέσιμη	

[illegible]

Τετάρτη, 26 Αύγουστος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		26,55	24,35	23,06	22,12	21,47	21,20	21,65	23,45	26,40	29,66	30,95	32,67	33,84	34,07	34,02	33,50	33,49	32,72	33,15	33,02	34,36	32,94	30,82	28,75	698,23
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
18 ΦΟΡΗΤΑ Η/Ζ	18	2	0	0	0	0	0	0	0	5	9	9	9	10	10	10	10	10	10	10	10	10	10	7	5	Διαθέσιμη

Πέμπτη, 27 Αύγουστος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		25,06	23,46	22,05	21,06	20,31	20,16	22,00	24,08	26,95	29,57	31,85	31,53	30,55	33,51	33,10	32,70	32,74	32,37	32,52	32,24	33,34	32,87	30,88	28,69	683,59
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
18 ΦΟΡΗΤΑ Η/Ζ	18	4	4	0	0	0	0	0	0	5	9	10	10	10	12	12	12	12	12	12	12	12	12	9	7	Διαθέσιμη

Παρασκευή, 28 Αύγουστος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		25,24	23,08	21,59	20,82	20,42	20,44	21,08	23,89	25,86	29,56	31,70	33,03	33,70	34,66	34,39	33,49	32,70	32,36	32,44	32,21	33,06	32,18	30,21	28,63	686,73
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
18 ΦΟΡΗΤΑ Η/Ζ	18	4	2	0	0	0	0	0	0	5	5	5	8	8	8	8	8	7	7	7	7	7	7	5	5	Διαθέσιμη

Σάββατο, 29 Αύγουστος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		23,38	23,55	22,67	21,97	21,40	21,13	21,58	23,57	23,53	24,34	29,59	32,71	33,60	34,47	34,08	33,48	33,09	34,18	33,27	33,23	33,79	33,29	31,66	29,32	686,87
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
18 ΦΟΡΗΤΑ Η/Ζ	18	0	0	0	0	0	0	0	0	5	5	5	5	5	7	7	7	7	7	7	7	7	7	5	5	Διαθέσιμη

Κυριακή, 30 Αύγουστος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		26,73	25,31	22,73	22,21	21,52	21,20	21,26	22,86	26,03	28,49	30,54	31,74	34,18	33,18	33,25	32,27	31,70	31,48	32,30	32,42	33,16	33,02	31,19	29,11	687,86
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
18 ΦΟΡΗΤΑ Η/Ζ	18	0	0	0	0	0	0	0	0	5	5	5	5	7	7	7	7	7	7	7	7	7	7	5	5	Διαθέσιμη

Δευτέρα, 31 Αύγουστος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		26,29	24,11	22,84	21,90	21,26	20,99	21,44	23,22	26,14	29,36	30,64	32,35	33,50	33,73	33,68	33,17	33,16	32,40	32,82	32,69	34,02	32,61	30,52	28,47	691,31
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
18 ΦΟΡΗΤΑ Η/Ζ	18	0	0	0	0	0	0	0	0	0	5	5	7	7	7	7	7	7	7	7	7	7	7	5	5	Διαθέσιμη

Τρίτη, 1 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		25,06	23,46	22,05	21,06	20,31	20,16	22,00	24,08	26,95	29,57	31,85	31,53	30,55	33,51	33,10	32,70	32,74	32,37	32,52	32,24	33,34	32,87	30,88	28,69	683,59
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	2	4	6	6	5	8	8	8	8	8	8	8	8	8	5	3	Διαθέσιμη

Τετάρτη, 2 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		24,50	22,54	21,24	20,62	20,38	20,15	20,77	24,54	25,40	28,77	30,81	32,08	33,01	34,23	34,33	33,68	32,80	32,20	32,34	31,80	33,13	32,45	30,50	32,30	684,57
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	2	4	6	6	7	8	8	8	8	8	8	8	8	8	5	5	Διαθέσιμη

[illegible]

[illegible]

Σάββατο, 5 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		25,09	23,11	21,56	20,89	20,45	20,36	20,53	23,90	24,38	28,21	30,37	31,92	32,84	32,65	33,55	32,46	31,47	31,28	31,60	31,50	32,54	31,68	29,62	29,50	671,45
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	-	1	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	2	5	7	8	8	8	8	8	7	7	7	7	7	5	4	Διαθέσιμη

Κυριακή, 6 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		24,75	22,78	21,41	20,63	20,03	19,86	20,24	23,96	24,30	27,07	29,31	30,55	31,71	32,18	31,82	31,07	30,46	30,53	30,78	30,69	31,75	31,81	29,85	28,80	656,33
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	-	1	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	2	5	7	8	8	8	8	8	8	8	8	8	8	5	5	Διαθέσιμη

Δευτέρα, 7 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		24,75	22,77	21,45	20,83	20,58	20,35	20,98	24,79	25,66	29,06	31,12	32,40	33,34	34,58	34,68	34,02	33,13	32,53	32,67	32,12	33,47	32,78	30,81	28,80	687,66
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	-	1	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	5	7	7	8	9	9	9	9	9	7	7	7	7	5	4	Διαθέσιμη

Τρίτη, 8 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		26,21	24,17	22,74	21,80	21,44	21,19	21,62	22,68	28,08	29,59	28,92	29,35	29,33	29,48	29,40	28,32	27,89	28,65	28,89	28,89	29,00	28,48	27,21	26,98	640,31
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	1	1	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	2	4	4	4	4	4	4	2	2	3	3	3	3	2	2	2	Διαθέσιμη

Τετάρτη, 9 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		22,91	21,25	20,06	19,66	19,26	19,28	19,27	21,99	26,01	26,95	28,69	29,62	31,43	30,85	31,61	31,90	30,72	29,64	29,98	30,25	31,51	30,39	28,70	26,42	638,33
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	2	4	4	6	6	6	6	4	4	4	4	5	5	3	2	Διαθέσιμη

Πέμπτη, 10 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		22,94	21,22	20,16	19,46	19,14	19,12	19,81	21,79	25,40	27,51	29,24	29,56	29,17	31,33	32,17	31,21	30,28	29,79	28,97	25,72	28,64	30,64	28,28	25,90	627,45
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	2	4	4	4	6	6	6	4	4	4	2	5	5	3	0	Διαθέσιμη

Παρασκευή, 11 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		23,96	22,18	21,13	20,43	19,88	19,78	19,82	20,74	25,51	27,17	27,93	29,80	29,64	32,00	31,95	31,02	30,21	30,08	30,43	30,67	31,93	30,80	28,68	26,35	642,09
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	0	2	4	4	6	6	6	6	4	4	4	6	4	2	0	Διαθέσιμη

Σάββατο, 12 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		24,84	22,90	21,69	21,03	20,46	20,29	20,09	22,36	25,07	27,93	28,86	29,84	30,88	31,23	30,94	30,19	29,53	29,42	29,81	30,01	30,94	29,73	27,74	25,69	641,49
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	2	2	4	4	6	6	6	4	4	4	4	6	4	2	0	Διαθέσιμη

Κυριακή, 13 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		23,83	22,08	21,09	20,41	19,86	19,56	19,99	21,75	24,04	25,97	28,61	28,31	30,25	30,09	30,64	30,23	26,32	26,46	26,75	27,18	27,61	28,89	28,36	25,61	613,88
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	0	3	4	4	4	4	4	0	0	0	0	2	3	3	0	Διαθέσιμη

Δευτέρα, 14 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		23,72	21,96	20,92	20,23	19,68	19,58	19,63	20,54	25,26	26,90	27,65	29,50	29,35	31,68	31,63	30,72	29,91	29,79	30,13	30,37	31,61	30,49	28,40	26,09	635,74
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	0	3	3	5	6	6	6	6	5	5	5	5	4	2	0	Διαθέσιμη

Τρίτη, 15 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		22,70	21,27	19,98	19,46	19,03	19,12	19,77	22,84	24,55	26,68	28,50	29,36	30,48	31,40	30,98	30,46	30,26	29,21	29,32	29,98	30,18	30,27	27,82	25,26	628,90
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	2	3	4	5	6	6	6	5	4	4	5	5	5	2	0	Διαθέσιμη

Τετάρτη, 16 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ωρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		21,95	19,56	19,33	19,19	19,27	18,51	19,29	20,22	23,19	25,96	26,89	27,99	27,50	28,65	27,40	29,48	27,82	27,82	27,90	28,58	29,90	28,81	26,41	24,09	595,72
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	2	1	2	3	3	4	3	5	3	3	3	4	5	4	2	0	Διαθέσιμη

Πέμπτη, 17 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																									
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)	
Εκτίμηση ζήτησης (MWh)		22,07	20,12	19,48	19,14	19,02	18,63	19,46	21,19	23,45	26,83	27,65	28,75	28,51	29,16	29,12	29,93	27,97	28,13	28,19	28,91	30,26	29,38	26,63	24,47	606,44	
Μονάδα	Αποδιδόμενη Ισχύς (MW)																										
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη	
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη	
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	1	2	2	4	3	4	4	5	3	3	3	4	6	5	1	0	Διαθέσιμη	

Παρασκευή, 18 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		21,82	20,37	19,37	18,78	18,41	18,42	19,18	21,53	23,45	26,49	28,10	28,69	28,74	29,52	29,88	29,22	27,33	27,38	27,57	28,22	29,39	28,76	26,08	23,71	600,40
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	1	2	3	4	4	5	5	5	2	2	2	3	5	4	1	0	Διαθέσιμη

Σάββατο, 19 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		21,44	19,92	18,99	18,37	18,05	18,04	17,98	19,83	22,71	25,33	27,41	28,33	28,51	29,73	29,40	27,46	26,80	27,05	27,45	28,33	28,62	27,87	26,29	23,32	587,21
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	0	2	3	3	4	4	2	2	2	2	3	3	2	1	0	Διαθέσιμη

Κυριακή, 20 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		21,94	20,33	19,42	18,91	18,55	18,45	18,26	19,45	22,59	25,38	26,83	28,65	28,95	29,89	29,73	27,66	27,43	27,56	27,94	28,79	29,36	28,47	27,10	24,51	596,14
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	1	2	3	3	4	4	2	2	2	2	3	4	3	1	0	Διαθέσιμη

Δευτέρα, 21 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		21,58	20,04	19,04	18,49	18,22	18,18	18,25	20,26	22,73	26,28	27,45	28,87	29,01	29,59	30,09	28,32	27,31	27,82	28,07	29,06	29,54	28,76	26,80	24,22	597,96
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	1	2	3	3	4	4	3	2	2	2	3	4	3	1	0	Διαθέσιμη

Τρίτη, 22 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		21,20	19,59	18,66	18,08	17,87	17,79	17,05	18,56	21,98	25,12	26,76	28,51	28,78	29,79	29,62	26,57	26,78	27,50	27,95	29,17	28,77	27,87	27,01	23,83	584,77
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	0	0	2	2	3	3	0	0	0	2	3	3	2	0	0	Διαθέσιμη

Τετάρτη, 23 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																									
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)	
Εκτίμηση ζήτησης (MWh)		19,96	18,48	17,73	17,40	17,06	17,18	18,14	19,76	23,40	24,23	25,11	25,68	27,16	28,86	27,30	26,35	25,65	25,69	25,89	27,08	28,04	27,05	24,33	22,00	559,54	
Μονάδα	Αποδιδόμενη Ισχύς (MW)																										
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G4 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη	
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη	
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	1	0	0	0	0	1	2	1	0	0	Διαθέσιμη

[illegible]

[illegible]

Σάββατο, 26 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																									
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)	
Εκτίμηση ζήτησης (MWh)		21,70	20,13	18,96	18,39	17,94	17,95	18,69	19,51	23,94	25,82	27,50	28,09	28,87	28,46	28,69	26,70	27,29	26,36	26,49	27,61	28,07	28,06	24,50	22,47	582,18	
Μονάδα	Αποδιδόμενη Ισχύς (MW)																										
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G4 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη	
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη	
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	0	2	3	3	4	4	0	0	0	0	2	2	2	2	0	Διαθέσιμη	

[illegible]

Δευτέρα, 28 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		19,41	18,27	17,51	17,00	16,81	16,98	17,89	19,83	23,06	25,11	26,28	26,97	27,31	27,40	27,17	26,15	25,32	25,45	25,90	27,21	28,20	26,48	23,93	21,65	557,26
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	0	0	2	2	2	2	2	0	0	0	2	3	2	2	0	Διαθέσιμη

Τρίτη, 29 Σεπτέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		18,94	17,73	16,93	16,54	16,30	16,49	17,48	19,71	19,71	23,86	26,11	25,61	27,05	28,31	28,23	27,91	27,28	25,83	25,96	26,56	28,19	27,79	24,11	22,05	554,69
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	2	1	0	0	0	2	2	0	0	Διαθέσιμη

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Τρίτη, 6 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																									
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)	
Εκτίμηση ζήτησης (MWh)		17,32	16,28	15,59	15,23	15,14	15,24	16,18	17,99	20,34	22,30	23,27	23,95	24,30	24,39	23,93	23,30	22,44	22,75	23,08	24,65	24,26	22,80	19,24	18,55	492,53	
Μονάδα	Αποδιδόμενη Ισχύς (MW)																										
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G2 (WARTSILA W12V32)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη	
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη	
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη	
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	2	4	4	4	4	4	3	3	3	3	3	4	4	3	0	0	Διαθέσιμη

[illegible]

[illegible]

[illegible]

Σάββατο, 10 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		17,38	16,21	15,49	15,06	14,81	14,95	15,51	18,07	19,49	20,11	22,97	24,28	25,93	24,77	24,10	23,41	22,91	22,66	23,15	24,58	24,25	22,78	20,82	18,99	492,69
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	0	3	5	6	6	6	4	4	4	4	6	6	4	2	0	Διαθέσιμη

Κυριακή, 11 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		17,28	16,06	15,35	15,01	14,82	14,80	14,92	14,93	17,19	20,92	21,12	22,14	23,08	23,92	23,38	22,08	21,72	21,72	22,10	22,94	23,61	23,02	21,43	18,58	472,12
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	0	2	2	3	4	4	3	2	2	2	4	4	4	2	0	Διαθέσιμη

Δευτέρα, 12 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		16,96	15,72	14,89	14,64	14,45	14,55	15,61	16,89	20,30	22,79	24,02	23,81	24,66	25,09	25,34	24,78	23,11	22,82	23,15	25,13	24,27	24,13	21,35	18,94	497,42
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	3	4	5	6	6	6	6	4	4	4	6	6	4	2	0	Διαθέσιμη

Τρίτη, 13 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		17,20	16,07	15,36	14,97	14,82	14,94	15,65	17,27	19,16	20,11	22,15	22,85	23,88	24,08	23,80	22,89	22,24	22,28	22,53	23,68	23,89	22,45	20,45	18,45	481,17
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	0	3	3	4	5	5	4	3	3	3	4	4	3	0	0	Διαθέσιμη

Τετάρτη, 14 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		17,28	16,24	15,51	15,13	14,90	14,99	15,79	17,41	18,71	20,06	22,37	22,96	23,96	24,29	24,12	23,06	22,36	22,50	22,68	23,81	24,00	22,63	20,68	18,63	484,09
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
13 ΦΟΡΗΤΑ Η/Ζ	13	0	0	0	0	0	0	0	0	0	0	3	5	5	5	5	5	3	3	3	5	5	3	0	0	Διαθέσιμη

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Τρίτη, 20 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		15,32	14,36	13,75	13,42	13,24	13,45	14,38	16,30	18,67	20,14	21,04	21,64	22,13	22,04	21,72	20,72	20,25	20,47	21,29	22,92	21,94	20,70	18,80	16,95	445,63
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση
G6 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
12ΦΟΡΗΤΑ Η/Ζ	12	0	0	0	0	0	0	0	0	2	3	5	5	6	6	6	5	4	4	5	6	6	4	3	0	Διαθέσιμη

Τετάρτη, 21 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		15,18	14,31	13,78	13,53	13,46	13,48	14,30	16,07	17,47	18,97	20,31	20,74	20,60	21,60	21,12	20,30	19,97	19,88	20,67	21,49	21,89	21,25	17,92	16,49	434,80
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση
G6 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
12ΦΟΡΗΤΑ Η/Ζ	12	0	0	0	0	0	0	0	0	0	2	5	5	5	5	5	5	4	4	5	5	5	4	0	0	Διαθέσιμη

Πέμπτη, 22 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		14,82	13,96	13,37	13,04	13,06	13,23	14,08	15,67	17,03	18,07	19,87	21,20	21,83	21,65	20,76	20,09	19,74	19,85	20,80	22,23	21,50	20,93	18,50	16,93	432,20
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση
G6 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
12ΦΟΡΗΤΑ Η/Ζ	12	0	0	0	0	0	0	0	0	0	1	3	5	5	5	4	4	3	3	4	5	5	4	2	0	Διαθέσιμη

Παρασκευή, 23 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		15,02	14,04	13,61	13,37	13,18	13,47	14,37	16,16	17,43	19,16	19,80	19,41	20,42	20,79	20,34	21,13	21,04	19,38	19,83	20,14	20,31	19,26	18,46	15,97	426,10
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση
G6 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
12ΦΟΡΗΤΑ Η/Ζ	12	0	0	0	0	0	0	0	0	0	2	3	3	3	4	4	4	4	3	3	3	4	3	2	0	Διαθέσιμη

Σάββατο, 24 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																									
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)	
Εκτίμηση ζήτησης (MWh)		15,51	14,53	13,88	13,54	13,53	13,61	14,39	15,07	16,68	18,79	19,71	21,35	22,22	22,74	22,12	21,47	21,06	21,11	21,88	22,54	22,06	21,20	19,52	18,03	446,55	
Μονάδα	Αποδιδόμενη Ισχύς (MW)																										
G1 (WARTSILA W18V32)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη	
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G4 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση	
G6 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη	
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη	
12ΦΟΡΗΤΑ Η/Ζ	12	0	0	0	0	0	0	0	0	0	2	3	4	5	5	5	4	4	4	4	4	5	5	4	2	0	Διαθέσιμη

Κυριακή, 25 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		15,43	14,58	13,97	13,69	13,58	13,67	14,23	15,24	16,89	16,90	18,87	19,88	19,56	21,24	20,39	19,33	18,74	18,80	19,58	21,18	20,61	19,93	19,35	16,28	421,91
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση
G6 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
12ΦΟΡΗΤΑ Η/Ζ	12	0	0	0	0	0	0	0	0	0	0	2	2	2	4	4	2	2	2	2	4	3	3	2	0	Διαθέσιμη

Δευτέρα, 26 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		14,88	14,03	13,51	13,27	13,19	13,22	14,01	15,75	17,13	18,60	19,90	20,33	20,19	21,17	20,70	19,90	19,58	19,49	20,26	21,07	21,46	20,83	17,56	16,17	426,19
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G3 (WARTSILA 12V32D)	3,5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G4 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση
G6 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (A/Σ TURBOMACH)	10,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
12ΦΟΡΗΤΑ Η/Ζ	12	0	0	0	0	0	0	0	0	0	2	2	3	3	4	3	3	3	3	3	3	4	3	2	0	Διαθέσιμη

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Τετάρτη, 25 Νοέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																									
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)	
Εκτίμηση ζήτησης (MWh)		11,56	10,67	10,00	9,63	9,58	9,70	10,30	10,79	11,86	11,80	11,93	12,23	12,87	14,86	14,66	14,91	15,57	16,85	17,59	17,26	16,75	15,74	14,27	13,19	314,55	
Μονάδα	Αποδιδόμενη Ισχύς (MW)																										
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G2 (WARTSILA W12V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G3 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση	
G4 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση	
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη	
G8 (WARTSILA W12V32)	5,8	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G30 (A/Σ TURBOMACH)	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη	
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη	
10 ΦΟΡΗΤΑ Η/Ζ	13,2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη	

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Πέμπτη, 10 Δεκέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																									
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)	
Εκτίμηση ζήτησης (MWh)		11,11	10,06	9,47	9,19	9,17	9,22	9,84	10,17	11,76	12,62	13,71	14,87	15,48	14,62	14,03	13,81	14,13	15,70	16,62	16,50	15,93	14,82	13,68	12,67	309,18	
Μονάδα	Αποδιδόμενη Ισχύς (MW)																										
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G2 (WARTSILA W12V32)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G3 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση
G4 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση
G6 (WARTSILA 12V32D)	3,5	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (A/Σ TURBOMACH)	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
10 ΦΟΡΗΤΑ Η/Ζ	13,2	0	0	0	0	0	0	0	0	0	0	0	2	2	1	0	0	0	2	3	3	3	1	0	0	0	Διαθέσιμη

Παρασκευή, 11 Δεκέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		11,84	10,71	9,91	9,44	9,37	9,48	10,10	10,47	11,56	11,80	13,34	14,14	14,26	14,25	14,13	14,10	14,38	16,07	16,84	16,62	16,10	15,27	14,13	12,81	311,12
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G3 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση
G4 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση
G6 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
10 ΦΟΡΗΤΑ Η/Ζ	13,2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3	3	3	2	0	0	Διαθέσιμη

Σάββατο, 12 Δεκέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		12,26	10,96	10,31	9,86	9,76	9,84	10,49	10,76	11,86	12,84	13,48	13,96	14,19	14,31	14,18	13,73	14,26	16,05	16,77	16,74	16,43	15,72	14,49	13,32	316,56
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G3 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση
G4 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση
G6 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (A/Σ TURBOMACH)	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
10 ΦΟΡΗΤΑ Η/Ζ	13,2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3	3	3	2	0	0	Διαθέσιμη

Κυριακή, 13 Δεκέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		12,21	11,13	10,48	10,05	9,91	9,87	9,79	9,72	11,02	12,05	12,88	13,28	13,53	13,50	12,85	12,84	13,30	14,77	15,02	16,08	15,47	14,95	14,00	12,91	301,60
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G3 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση
G4 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση
G6 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
10 ΦΟΡΗΤΑ Η/Ζ	13,2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	3	3	2	0	0	Διαθέσιμη

Δευτέρα, 14 Δεκέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		11,10	10,16	9,50	9,11	9,06	9,26	9,94	10,39	11,31	12,13	12,96	14,54	14,47	15,30	15,16	17,09	17,28	16,39	17,92	17,85	16,82	16,93	14,13	12,88	321,68
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G3 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση
G4 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση
G6 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (Α/Σ TURBOMACH)	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
10 ΦΟΡΗΤΑ Η/Ζ	13,2	0	0	0	0	0	0	0	0	0	0	0	2	2	2	2	4	4	4	5	5	4	4	0	0	Διαθέσιμη

Τρίτη, 15 Δεκέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		11,70	10,48	9,83	9,48	9,39	9,50	9,97	9,45	11,97	12,85	13,58	14,72	14,54	14,71	14,70	15,12	15,11	16,92	17,63	17,57	17,43	16,42	15,65	13,42	322,16
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (WARTSILA W12V32)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
G3 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση
G4 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση
G6 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G30 (A/Σ TURBOMACH)	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη
G29 (A/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη
10 ΦΟΡΗΤΑ Η/Ζ	13,2	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	2	2	4	5	5	4	4	2	0	Διαθέσιμη

Τετάρτη, 16 Δεκέμβριος 2020		Προτεινόμενος ΗΕΠ Θήρας																									
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)	
Εκτίμηση ζήτησης (MWh)		11,66	10,49	9,76	9,19	9,21	9,42	9,92	10,49	12,28	13,06	13,39	13,89	14,21	14,16	14,17	14,09	14,41	14,87	16,62	16,56	16,63	16,31	14,22	13,11	312,13	
Μονάδα	Αποδιδόμενη Ισχύς (MW)																										
G1 (WARTSILA W18V32)	7,3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G2 (WARTSILA W12V32)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη	
G3 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση	
G4 (WARTSILA 12V32D)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε συντήρηση	
G6 (WARTSILA 12V32D)	3,5	1	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G8 (WARTSILA W12V32)	5,8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G30 (Α/Σ TURBOMACH)	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Διαθέσιμη	
G29 (Α/Σ GE10B1)	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Σε βλάβη	
10 ΦΟΡΗΤΑ Η/Ζ	13,2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	3	3	3	3	0	0	Διαθέσιμη

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]