

Παρασκευή, 16 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Σύμης																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		0,92	0,85	0,84	0,83	0,82	0,84	0,90	0,99	1,28	1,58	1,66	1,66	1,66	1,69	1,61	1,49	1,43	1,48	1,67	1,84	1,80	1,66	1,51	1,39	32,39
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη Διαθέσιμη Διαθέσιμη Βλάβη
G2 (CEGIELSKI 6AL20/24)	0,3																									
G3 (CEGIELSKI 6AL20/24)	0,3																									
G4 (MITSUBISHI S16R-PTA)	0,9																									
G5 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη Διαθέσιμη Διαθέσιμη Διαθέσιμη
G6 (MTU 12V 4000G60)	0,7																									
G7 (MTU 12V 4000G60)	0,7																									
G8 (MITSUBISHI S16R-PTA)	0,9										1	1	1	1	1	1	1	1	1	1	1	1	1	1		

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Παρασκευή, 23 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Σύμης																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		1,31	1,23	1,20	1,22	1,18	1,18	1,25	1,38	1,44	1,53	1,58	1,67	1,70	1,64	1,57	1,44	1,42	1,44	1,60	1,79	1,75	1,44	1,12	0,98	34,05
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (CEGIELSKI 6AL20/24)	0,3																									
G3 (CEGIELSKI 6AL20/24)	0,3																									Διαθέσιμη
G4 (MITSUBISHI S16R-PTA)	0,9																									Βλάβη
G5 (MITSUBISHI S16R-PTA)	0,9								1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (MTU 12V 4000G60)	0,7																									Διαθέσιμη
G7 (MTU 12V 4000G60)	0,7																									Διαθέσιμη
G8 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1					1	1	1						1	1				Διαθέσιμη

Σάββατο, 24 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Σύμης																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		0,87	0,82	0,79	0,77	0,78	0,78	0,88	0,98	1,25	1,50	1,53	1,58	1,61	1,52	1,24	1,12	1,10	1,10	1,23	1,38	1,34	1,21	1,09	0,94	27,41
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη Διαθέσιμη Διαθέσιμη Βλάβη Διαθέσιμη Διαθέσιμη Διαθέσιμη Διαθέσιμη
G2 (CEGIELSKI 6AL20/24)	0,3																									
G3 (CEGIELSKI 6AL20/24)	0,3																									
G4 (MITSUBISHI S16R-PTA)	0,9																									
G5 (MITSUBISHI S16R-PTA)	0,9								1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
G6 (MTU 12V 4000G60)	0,7																									
G7 (MTU 12V 4000G60)	0,7																									
G8 (MITSUBISHI S16R-PTA)	0,9	1	1				1	1					1	1	1						1	1				

Κυριακή, 25 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Σύμης																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		0,84	0,79	0,76	0,76	0,78	0,78	0,88	1,01	1,21	1,47	1,64	1,66	1,66	1,65	1,57	1,44	1,38	1,39	1,59	1,70	1,49	1,20	1,05	0,98	29,69
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (CEGIELSKI 6AL20/24)	0,3																									
G3 (CEGIELSKI 6AL20/24)	0,3																									Διαθέσιμη
G4 (MITSUBISHI S16R-PTA)	0,9																									Βλάβη
G5 (MITSUBISHI S16R-PTA)	0,9								1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (MTU 12V 4000G60)	0,7																									Διαθέσιμη
G7 (MTU 12V 4000G60)	0,7																									Διαθέσιμη
G8 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1					1	1	1							1	1			Διαθέσιμη

Δευτέρα, 26 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Σύμης																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		0,88	0,83	0,79	0,78	0,79	0,79	0,89	0,99	1,26	1,51	1,55	1,60	1,62	1,54	1,25	1,13	1,11	1,11	1,24	1,39	1,36	1,22	1,10	0,95	27,68
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη Διαθέσιμη Διαθέσιμη Βλάβη Διαθέσιμη Διαθέσιμη Διαθέσιμη Διαθέσιμη
G2 (CEGIELSKI 6AL20/24)	0,3																									
G3 (CEGIELSKI 6AL20/24)	0,3																									
G4 (MITSUBISHI S16R-PTA)	0,9																									
G5 (MITSUBISHI S16R-PTA)	0,9								1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
G6 (MTU 12V 4000G60)	0,7																									
G7 (MTU 12V 4000G60)	0,7																									
G8 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1					1	1	1						1	1				

Τρίτη, 27 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Σύμης																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		0,85	0,79	0,77	0,77	0,78	0,78	0,89	1,02	1,22	1,49	1,66	1,68	1,68	1,67	1,59	1,45	1,40	1,41	1,60	1,71	1,50	1,21	1,06	0,99	29,98
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (CEGIELSKI 6AL20/24)	0,3																									
G3 (CEGIELSKI 6AL20/24)	0,3																									Διαθέσιμη
G4 (MITSUBISHI S16R-PTA)	0,9																									Βλάβη
G5 (MITSUBISHI S16R-PTA)	0,9								1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (MTU 12V 4000G60)	0,7																									Διαθέσιμη
G7 (MTU 12V 4000G60)	0,7																									Διαθέσιμη
G8 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1					1	1	1							1	1			Διαθέσιμη

Τετάρτη, 28 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Σύμης																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		0,89	0,84	0,80	0,79	0,79	0,80	0,90	1,00	1,28	1,53	1,56	1,61	1,64	1,55	1,26	1,14	1,12	1,12	1,26	1,41	1,37	1,23	1,11	0,96	27,96
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (CEGIELSKI 6AL20/24)	0,3																									
G3 (CEGIELSKI 6AL20/24)	0,3																									Διαθέσιμη
G4 (MITSUBISHI S16R-PTA)	0,9																									Βλάβη
G5 (MITSUBISHI S16R-PTA)	0,9								1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (MTU 12V 4000G60)	0,7																									Διαθέσιμη
G7 (MTU 12V 4000G60)	0,7																									Διαθέσιμη
G8 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1					1	1	1						1	1				Διαθέσιμη

Πέμπτη, 29 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Σύμης																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		0,86	0,80	0,78	0,78	0,79	0,79	0,90	1,03	1,23	1,50	1,68	1,70	1,70	1,68	1,60	1,47	1,41	1,42	1,62	1,73	1,52	1,23	1,07	1,00	30,28
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (CEGIELSKI 6AL20/24)	0,3																									
G3 (CEGIELSKI 6AL20/24)	0,3																									Διαθέσιμη
G4 (MITSUBISHI S16R-PTA)	0,9																									Βλάβη
G5 (MITSUBISHI S16R-PTA)	0,9								1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G6 (MTU 12V 4000G60)	0,7																									Διαθέσιμη
G7 (MTU 12V 4000G60)	0,7																									Διαθέσιμη
G8 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1					1	1	1					1	1	1				Διαθέσιμη

[illegible]

Σάββατο, 31 Οκτώβριος 2020		Προτεινόμενος ΗΕΠ Σύμης																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		0,82	0,78	0,75	0,74	0,76	0,77	0,84	0,90	1,17	1,38	1,44	1,51	1,61	1,63	1,49	1,38	1,40	1,56	1,69	1,66	1,61	1,31	1,00	0,90	29,10
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη Διαθέσιμη Διαθέσιμη Βλάβη
G2 (CEGIELSKI 6AL20/24)	0,3																									
G3 (CEGIELSKI 6AL20/24)	0,3																									
G4 (MITSUBISHI S16R-PTA)	0,9																									
G5 (MITSUBISHI S16R-PTA)	0,9	1						1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη Διαθέσιμη Διαθέσιμη Διαθέσιμη
G6 (MTU 12V 4000G60)	0,7																									
G7 (MTU 12V 4000G60)	0,7																									
G8 (MITSUBISHI S16R-PTA)	0,9																			1	1					

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Παρασκευή, 6 Νοέμβριος 2020		Προτεινόμενος ΗΕΠ Σύμης																									
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)	
Εκτίμηση ζήτησης (MWh)		0,77	0,71	0,68	0,69	0,69	0,74	0,77	0,90	1,05	1,18	1,30	1,41	1,39	1,42	1,33	1,31	1,32	1,48	1,60	1,61	1,58	1,51	1,32	1,21	27,99	
Μονάδα	Αποδιδόμενη Ισχύς (MW)																										
G1 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G2 (CEGIELSKI 6AL20/24)	0,3																									Διαθέσιμη	
G3 (CEGIELSKI 6AL20/24)	0,3																									Διαθέσιμη	
G4 (MITSUBISHI S16R-PTA)	0,9																									Βλάβη	
G5 (MITSUBISHI S16R-PTA)	0,9																									Διαθέσιμη	
G6 (MTU 12V 4000G60)	0,7																									Διαθέσιμη	
G7 (MTU 12V 4000G60)	0,7								1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G8 (MITSUBISHI S16R-PTA)	0,9																			1	1	1	1	1		Διαθέσιμη	

Σάββατο, 7 Νοέμβριος 2020		Προτεινόμενος ΗΕΠ Σύμης																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		1,10	1,07	1,04	1,02	1,04	0,99	1,15	1,26	1,30	1,31	1,34	1,35	1,38	1,47	1,37	1,30	1,31	1,48	1,40	1,25	1,25	1,12	0,99	0,88	29,19
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη Διαθέσιμη Διαθέσιμη Βλάβη Διαθέσιμη Διαθέσιμη Διαθέσιμη Διαθέσιμη
G2 (CEGIELSKI 6AL20/24)	0,3																									
G3 (CEGIELSKI 6AL20/24)	0,3																									
G4 (MITSUBISHI S16R-PTA)	0,9																									
G5 (MITSUBISHI S16R-PTA)	0,9																									
G6 (MTU 12V 4000G60)	0,7																									
G7 (MTU 12V 4000G60)	0,7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
G8 (MITSUBISHI S16R-PTA)	0,9																		1	1	1	1	1	1		

Κυριακή, 8 Νοέμβριος 2020		Προτεινόμενος ΗΕΠ Σύμης																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		0,77	0,71	0,68	0,67	0,69	0,72	0,77	0,93	1,22	1,41	1,44	1,43	1,42	1,41	1,37	1,33	1,33	1,45	1,58	1,59	1,59	1,47	1,02	0,94	27,95
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη Διαθέσιμη Διαθέσιμη Βλάβη Διαθέσιμη Διαθέσιμη Διαθέσιμη Διαθέσιμη
G2 (CEGIELSKI 6AL20/24)	0,3																									
G3 (CEGIELSKI 6AL20/24)	0,3																									
G4 (MITSUBISHI S16R-PTA)	0,9																									
G5 (MITSUBISHI S16R-PTA)	0,9																									
G6 (MTU 12V 4000G60)	0,7																									
G7 (MTU 12V 4000G60)	0,7								1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
G8 (MITSUBISHI S16R-PTA)	0,9																		1	1	1	1	1			

Δευτέρα, 9 Νοέμβριος 2020		Προτεινόμενος ΗΕΠ Σύμης																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		0,78	0,72	0,69	0,68	0,70	0,72	0,78	0,94	1,24	1,43	1,46	1,45	1,44	1,42	1,38	1,35	1,34	1,47	1,60	1,61	1,61	1,49	1,03	0,95	28,29
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη Διαθέσιμη Διαθέσιμη Βλάβη Διαθέσιμη Διαθέσιμη Διαθέσιμη Διαθέσιμη
G2 (CEGIELSKI 6AL20/24)	0,3																									
G3 (CEGIELSKI 6AL20/24)	0,3																									
G4 (MITSUBISHI S16R-PTA)	0,9																									
G5 (MITSUBISHI S16R-PTA)	0,9																									
G6 (MTU 12V 4000G60)	0,7																									
G7 (MTU 12V 4000G60)	0,7								1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
G8 (MITSUBISHI S16R-PTA)	0,9																		1	1	1	1	1			

Τρίτη, 10 Νοέμβριος 2020		Προτεινόμενος ΗΕΠ Σύμης																								
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)
Εκτίμηση ζήτησης (MWh)		0,79	0,73	0,70	0,68	0,71	0,73	0,79	0,95	1,25	1,45	1,48	1,47	1,46	1,44	1,40	1,37	1,36	1,49	1,62	1,63	1,63	1,51	1,04	0,96	28,65
Μονάδα	Αποδιδόμενη Ισχύς (MW)																									
G1 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G2 (CEGIELSKI 6AL20/24)	0,3																									
G3 (CEGIELSKI 6AL20/24)	0,3																									
G4 (MITSUBISHI S16R-PTA)	0,9																									
G5 (MITSUBISHI S16R-PTA)	0,9																									
G6 (MTU 12V 4000G60)	0,7																									
G7 (MTU 12V 4000G60)	0,7								1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
G8 (MITSUBISHI S16R-PTA)	0,9										1	1	1	1					1	1	1	1	1			

Τετάρτη, 11 Νοέμβριος 2020		Προτεινόμενος ΗΕΠ Σύμης																									
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)	
Εκτίμηση ζήτησης (MWh)		0,80	0,74	0,71	0,69	0,72	0,74	0,80	0,97	1,27	1,47	1,50	1,49	1,48	1,46	1,42	1,38	1,38	1,51	1,64	1,65	1,65	1,53	1,05	0,98	29,00	
Μονάδα	Αποδιδόμενη Ισχύς (MW)																										
G1 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G2 (CEGIELSKI 6AL20/24)	0,3																									Διαθέσιμη	
G3 (CEGIELSKI 6AL20/24)	0,3																									Διαθέσιμη	
G4 (MITSUBISHI S16R-PTA)	0,9																									Βλάβη	
G5 (MITSUBISHI S16R-PTA)	0,9																									Διαθέσιμη	
G6 (MTU 12V 4000G60)	0,7																									Διαθέσιμη	
G7 (MTU 12V 4000G60)	0,7								1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G8 (MITSUBISHI S16R-PTA)	0,9										1	1	1	1					1	1	1	1	1			Διαθέσιμη	

Πέμπτη, 12 Νοέμβριος 2020		Προτεινόμενος ΗΕΠ Σύμης																									
Ώρες Κατανομής		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	ΣΥΝΟΛΟ (MWh)	
Εκτίμηση ζήτησης (MWh)		0,81	0,75	0,72	0,70	0,72	0,75	0,81	0,98	1,29	1,48	1,51	1,50	1,49	1,48	1,44	1,40	1,40	1,52	1,67	1,67	1,67	1,54	1,07	0,99	29,36	
Μονάδα	Αποδιδόμενη Ισχύς (MW)																										
G1 (MITSUBISHI S16R-PTA)	0,9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη	
G2 (CEGIELSKI 6AL20/24)	0,3																										Διαθέσιμη
G3 (CEGIELSKI 6AL20/24)	0,3																										Διαθέσιμη
G4 (MITSUBISHI S16R-PTA)	0,9																										Βλάβη
G5 (MITSUBISHI S16R-PTA)	0,9																										Διαθέσιμη
G6 (MTU 12V 4000G60)	0,7																										Διαθέσιμη
G7 (MTU 12V 4000G60)	0,7								1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Διαθέσιμη
G8 (MITSUBISHI S16R-PTA)	0,9										1	1	1	1					1	1	1	1	1				Διαθέσιμη

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]