

| ΗΣ ΧΙΟΥ                       |                | Προτεινόμενος ΗΕΠ για την Επόμενη Ημέρα   |                                        |                                        |       |        |        |        | Παρασκευή, 5 Σεπτεμβρίου 2025 |       |       |       |       |              |
|-------------------------------|----------------|-------------------------------------------|----------------------------------------|----------------------------------------|-------|--------|--------|--------|-------------------------------|-------|-------|-------|-------|--------------|
| Αποδιδόμενη Ισχύς (MW)        |                |                                           |                                        |                                        | 9,000 | 11,000 | 14,476 | 14,476 | 3,500                         | 2,500 | 2,500 | 3,500 | 3,500 | 1,000        |
| α<br>ρ<br>α<br>ξ<br>ι<br>α    | Χρονική στιγμή | Πρόβλεψη Μέσου<br>Ωριαίου<br>Φορτίου (MW) | Πρόβλεψη<br>Θερμικής<br>Παραγωγής (MW) | Πρόβλεψη<br>Αιολικής<br>Παραγωγής (MW) | G1    | G2     | G3     | G4     | G6                            | G7    | G8    | G9    | G10   | H/Z<br>(x15) |
| Παρασκευή, 5 Σεπτεμβρίου 2025 | 00:00          | 24,88                                     | 21,65                                  | 3,23                                   |       |        | 1      | 1      |                               |       |       |       |       |              |
|                               | 01:00          | 22,93                                     | 20,33                                  | 2,60                                   |       |        | 1      | 1      |                               |       |       |       |       |              |
|                               | 02:00          | 21,06                                     | 18,79                                  | 2,27                                   |       |        | 1      | 1      |                               |       |       |       |       |              |
|                               | 03:00          | 19,71                                     | 17,60                                  | 2,11                                   |       |        | 1      | 1      |                               |       |       |       |       |              |
|                               | 04:00          | 18,95                                     | 17,13                                  | 1,81                                   |       |        | 1      | 1      |                               |       |       |       |       |              |
|                               | 05:00          | 18,74                                     | 17,46                                  | 1,28                                   |       |        | 1      | 1      |                               |       |       |       |       |              |
|                               | 06:00          | 19,12                                     | 18,53                                  | 0,60                                   |       |        | 1      | 1      |                               |       |       |       |       |              |
|                               | 07:00          | 20,58                                     | 20,22                                  | 0,36                                   |       |        | 1      | 1      |                               |       |       |       |       |              |
|                               | 08:00          | 22,30                                     | 21,94                                  | 0,36                                   |       |        | 1      | 1      |                               |       |       |       |       |              |
|                               | 09:00          | 22,84                                     | 22,42                                  | 0,42                                   |       |        | 1      | 1      |                               |       |       |       |       |              |
|                               | 10:00          | 23,17                                     | 22,67                                  | 0,51                                   |       |        | 1      | 1      |                               |       |       |       |       |              |
|                               | 11:00          | 23,50                                     | 22,54                                  | 0,95                                   |       |        | 1      | 1      |                               |       |       |       |       |              |
|                               | 12:00          | 23,97                                     | 22,46                                  | 1,51                                   |       |        | 1      | 1      |                               |       |       |       |       |              |
|                               | 13:00          | 24,34                                     | 22,53                                  | 1,81                                   |       |        | 1      | 1      |                               |       |       |       |       |              |
|                               | 14:00          | 24,58                                     | 22,72                                  | 1,86                                   |       |        | 1      | 1      |                               |       |       |       |       |              |
|                               | 15:00          | 25,02                                     | 23,39                                  | 1,62                                   |       |        | 1      | 1      |                               |       |       |       |       |              |
|                               | 16:00          | 25,54                                     | 23,87                                  | 1,66                                   |       |        | 1      | 1      |                               |       |       |       |       | 1            |
|                               | 17:00          | 26,02                                     | 24,34                                  | 1,67                                   |       |        | 1      | 1      |                               |       |       |       |       | 1            |
|                               | 18:00          | 26,52                                     | 24,80                                  | 1,72                                   |       |        | 1      | 1      |                               |       |       |       |       | 2            |
|                               | 19:00          | 26,13                                     | 24,64                                  | 1,50                                   |       |        | 1      | 1      |                               |       |       |       |       | 2            |
|                               | 20:00          | 26,69                                     | 25,10                                  | 1,59                                   |       |        | 1      | 1      |                               |       |       |       |       | 2            |
|                               | 21:00          | 26,29                                     | 23,73                                  | 2,56                                   |       |        | 1      | 1      |                               |       |       |       |       | 1            |
|                               | 22:00          | 26,13                                     | 21,30                                  | 4,83                                   |       |        | 1      | 1      |                               |       |       |       |       |              |
|                               | 23:00          | 25,75                                     | 21,47                                  | 4,28                                   |       |        | 1      | 1      |                               |       |       |       |       |              |

Μισθωμένη ισχύς 15 MW.

|  |                                          |
|--|------------------------------------------|
|  | Μη διαθεσιμότητα μονάδας λόγω συντήρησης |
|  | Μη διαθεσιμότητα μονάδας λόγω βλάβης     |