

| ΗΣ ΘΗΡΑΣ                    |                | Προτεινόμενος ΗΕΠ για την Επόμενη Ημέρα |       |       |       |       | Πέμπτη, 17 Σεπτεμβρίου 2026 |       |       |       |        |        |           |
|-----------------------------|----------------|-----------------------------------------|-------|-------|-------|-------|-----------------------------|-------|-------|-------|--------|--------|-----------|
| Αποδιδόμενη Ισχύς (MW)      |                |                                         | 6,500 | 6,500 | 3,500 | 3,500 | 3,500                       | 5,500 | 7,453 | 9,234 | 10,150 | 10,150 | 0,900     |
| Α                           | Χρονική στιγμή | Πρόβλεψη Μέσου Ωριαίου Φορτίου (MW)     | G1    | G2    | G3    | G4    | G6                          | G8    | G29   | G30   | G31    | G32    | H/Z (x16) |
| Πέμπτη, 17 Σεπτεμβρίου 2026 | 00:00          | 39,73                                   | 1     | 1     | 1     | 1     | 1                           | 1     |       |       | 1      | 1      |           |
|                             | 01:00          | 37,06                                   | 1     | 1     | 1     | 1     | 1                           | 1     |       |       | 1      | 1      |           |
|                             | 02:00          | 35,39                                   | 1     | 1     | 1     | 1     | 1                           | 1     |       |       | 1      | 1      |           |
|                             | 03:00          | 34,42                                   | 1     | 1     | 1     | 1     | 1                           | 1     |       |       | 1      | 1      |           |
|                             | 04:00          | 34,05                                   | 1     | 1     | 1     | 1     | 1                           | 1     |       |       | 1      | 1      |           |
|                             | 05:00          | 34,64                                   | 1     | 1     | 1     | 1     | 1                           | 1     |       |       | 1      | 1      |           |
|                             | 06:00          | 36,52                                   | 1     | 1     | 1     | 1     | 1                           | 1     |       |       | 1      | 1      |           |
|                             | 07:00          | 39,98                                   | 1     | 1     | 1     | 1     | 1                           | 1     | 1     |       | 1      | 1      |           |
|                             | 08:00          | 44,10                                   | 1     | 1     | 1     | 1     | 1                           | 1     | 1     |       | 1      | 1      |           |
|                             | 09:00          | 47,53                                   | 1     | 1     | 1     | 1     | 1                           | 1     | 1     | 1     | 1      | 1      |           |
|                             | 10:00          | 49,75                                   | 1     | 1     | 1     | 1     | 1                           | 1     | 1     | 1     | 1      | 1      |           |
|                             | 11:00          | 50,21                                   | 1     | 1     | 1     | 1     | 1                           | 1     | 1     | 1     | 1      | 1      |           |
|                             | 12:00          | 50,51                                   | 1     | 1     | 1     | 1     | 1                           | 1     | 1     | 1     | 1      | 1      |           |
|                             | 13:00          | 51,16                                   | 1     | 1     | 1     | 1     | 1                           | 1     | 1     | 1     | 1      | 1      |           |
|                             | 14:00          | 50,45                                   | 1     | 1     | 1     | 1     | 1                           | 1     | 1     | 1     | 1      | 1      |           |
|                             | 15:00          | 49,26                                   | 1     | 1     | 1     | 1     | 1                           | 1     | 1     | 1     | 1      | 1      |           |
|                             | 16:00          | 48,77                                   | 1     | 1     | 1     | 1     | 1                           | 1     | 1     | 1     | 1      | 1      |           |
|                             | 17:00          | 49,18                                   | 1     | 1     | 1     | 1     | 1                           | 1     | 1     | 1     | 1      | 1      |           |
|                             | 18:00          | 50,09                                   | 1     | 1     | 1     | 1     | 1                           | 1     | 1     | 1     | 1      | 1      |           |
|                             | 19:00          | 51,77                                   | 1     | 1     | 1     | 1     | 1                           | 1     | 1     | 1     | 1      | 1      |           |
|                             | 20:00          | 52,51                                   | 1     | 1     | 1     | 1     | 1                           | 1     | 1     | 1     | 1      | 1      |           |
|                             | 21:00          | 51,05                                   | 1     | 1     | 1     | 1     | 1                           | 1     | 1     | 1     | 1      | 1      |           |
|                             | 22:00          | 47,30                                   | 1     | 1     | 1     | 1     | 1                           | 1     | 1     | 1     | 1      | 1      |           |
|                             | 23:00          | 42,81                                   | 1     | 1     | 1     | 1     | 1                           | 1     | 1     |       | 1      | 1      |           |

Ένα φορητό Η/Ζ βρίσκεται σε βλάβη.

|  |                                          |
|--|------------------------------------------|
|  | Μη διαθεσιμότητα μονάδας λόγω συντήρησης |
|  | Μη διαθεσιμότητα μονάδας λόγω βλάβης     |